



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: N. Plummers Lake

Matrix: ENVIRO WATER

Collected: 05/27/2021 12:05

Lab ID: 2105424-01

Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.21	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.023	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	2.00	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: SW Kathy Lake

Matrix: ENVIRO WATER

Collected: 05/27/2021 12:20

Lab ID: 2105424-02

Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.15	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.017	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.80	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: NE Kathy Lake

Matrix: ENVIRO WATER

Collected: 05/27/2021 12:25

Lab ID: 2105424-03

Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.08	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.80	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: SW Amy Lake

Matrix: ENVIRO WATER

Collected: 05/27/2021 12:30

Lab ID: 2105424-04

Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.21	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.025	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.00	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: West Ann Lake **Lab ID:** 2105424-05
Matrix: ENVIRO WATER **Collected:** 05/27/2021 12:45 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.46	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.037	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	2.00	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: South Cree Lake **Lab ID:** 2105424-06
Matrix: ENVIRO WATER **Collected:** 05/27/2021 12:55 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.95	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: West John Lake **Lab ID:** 2105424-07
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:00 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.79	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.039	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	6.00	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: E. Swimming Lake **Lab ID:** 2105424-08
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:07 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.59	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: W. Gilbert Lake **Lab ID:** 2105424-09
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:20 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.49	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.40	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: East Jake Lake **Lab ID:** 2105424-10
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:25 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	4.02	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.040	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.70	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: SE Swimming Lake **Lab ID:** 2105424-11
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:30 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.96	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.00	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: E. Gilbert Lake **Lab ID:** 2105424-12
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:40 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.54	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.40	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Lake North of Kid Lake **Lab ID:** 2105424-13
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:50 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	3.34	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.145	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	2.85	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: North Kid Lake **Lab ID:** 2105424-14
Matrix: ENVIRO WATER **Collected:** 05/27/2021 13:55 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.25	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.032	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.80	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Cree Lake East **Lab ID:** 2105424-15
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:00 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.93	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Love Lake **Lab ID:** 2105424-16
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:15 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	5.40	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.081	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	2.25	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Harbin Lake **Lab ID:** 2105424-17
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:20 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.68	mg/L	0.01		SM4500NOrg		06/04/2021 15:21	NB
Phosphorus, Total low level	0.025	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.50	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Ann Lake East **Lab ID:** 2105424-18
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:30 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.55	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.054	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	1.80	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Douglas Lake North **Lab ID:** 2105424-19
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:40 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	3.84	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.064	mg/L	0.001		E365.1		06/02/2021 13:50	NB
Turbidity	3.50	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Peter Lake East **Lab ID:** 2105424-20
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:45 **Received:** 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.86	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.034	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	2.20	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Douglas Lake West **Lab ID:** 2105424-21
Matrix: ENVIRO WATER **Collected:** 05/27/2021 14:50 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	3.38	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.031	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	3.80	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Peter Lake SW **Lab ID:** 2105424-22
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:00 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.31	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.017	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	1.20	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Dan Lake SW **Lab ID:** 2105424-23
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:10 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.61	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.057	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	5.15	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Hunnicut Lake NE **Lab ID:** 2105424-24
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:15 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	2.54	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.103	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	5.35	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Dan Lake North **Lab ID:** 2105424-25
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:20 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.74	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.059	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	1.85	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Plummers Lake SE **Lab ID:** 2105424-26
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:25 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.00	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	1.25	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Tamarack Lake NE **Lab ID:** 2105424-27
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:35 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.54	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.45	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Plummers Lake South **Lab ID:** 2105424-28
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:40 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	4.66	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.083	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	2.25	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Tamarack Lake SW **Lab ID:** 2105424-29
Matrix: ENVIRO WATER **Collected:** 05/27/2021 15:50 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.64	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.50	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Bass Lake North **Lab ID:** 2105424-30
Matrix: ENVIRO WATER **Collected:** 05/27/2021 16:00 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.82	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Double Lake NW **Lab ID:** 2105424-31
Matrix: ENVIRO WATER **Collected:** 05/27/2021 16:05 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.99	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.70	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: East Bass Lake South **Lab ID:** 2105424-32
Matrix: ENVIRO WATER **Collected:** 05/27/2021 16:10 **Received:** 05/28/2021 8:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.04	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.012	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: Double Lake East
Matrix: ENVIRO WATER

Collected: 05/27/2021 16:20

Lab ID: 2105424-33
Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.03	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.75	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Double Lake South
Matrix: ENVIRO WATER

Collected: 05/27/2021 16:30

Lab ID: 2105424-34
Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.39	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.022	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.70	NTU	0.05		E180.1		05/28/2021 16:30	BLW

Client Sample ID: Vicky Lake NW
Matrix: ENVIRO WATER

Collected: 05/27/2021 16:45

Lab ID: 2105424-35
Received: 05/28/2021 8:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.71	mg/L	0.01		SM4500NOrg		06/15/2021 14:31	NB
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		06/09/2021 13:36	NB
Turbidity	0.60	NTU	0.05		E180.1		05/28/2021 16:30	BLW