



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: NW Plummers Lake **Lab ID:** 2406633-01
Matrix: ENVIRO WATER **Collected:** 07/01/2024 8:03 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.73	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.014	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	1.00	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: SW Kathy Lake **Lab ID:** 2406633-02
Matrix: ENVIRO WATER **Collected:** 07/01/2024 8:12 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.78	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.60	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: NE Kathy Lake **Lab ID:** 2406633-03
Matrix: ENVIRO WATER **Collected:** 07/01/2024 8:21 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.77	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.015	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.55	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: West Amy Lake **Lab ID:** 2406633-04
Matrix: ENVIRO WATER **Collected:** 07/01/2024 8:25 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.60	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.53	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: West Shore Amy Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:32

Lab ID: 2406633-05
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.70	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.020	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.62	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: SW Cree Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:38

Lab ID: 2406633-06
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.31	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.004	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.35	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: West John Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:44

Lab ID: 2406633-07
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.54	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	1.48	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: East John Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:49

Lab ID: 2406633-08
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.41	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	1.70	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: NE Swimming Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:57

Lab ID: 2406633-09
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.29	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.005	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.50	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: South Swimming Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 8:57

Lab ID: 2406633-10
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.32	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.007	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.50	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: West Gilbert Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:06

Lab ID: 2406633-11
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.34	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.38	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: Jake Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:08

Lab ID: 2406633-12
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.36	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.43	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: Kid Lake North End
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:20

Lab ID: 2406633-13
Received: 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.009	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.49	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: South Harbin Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:29

Lab ID: 2406633-14
Received: 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.20	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.48	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: East Cree Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:35

Lab ID: 2406633-15
Received: 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.20	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.38	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: East Ann Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:48

Lab ID: 2406633-16
Received: 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.60	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.020	mg/L	0.001		E365.1		07/04/2024 14:53	NB
Turbidity	0.58	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: East Shore Peter Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 9:57

Lab ID: 2406633-17
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.72	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.015	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	1.05	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: SW Douglas Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 10:05

Lab ID: 2406633-18
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.85	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.038	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	1.50	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: NE Douglas Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 10:13

Lab ID: 2406633-19
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.80	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.036	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	1.35	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: Tamarack NE Lake
Matrix: ENVIRO WATER

Collected: 07/01/2024 10:19

Lab ID: 2406633-20
Received: 07/01/2024 13:30

<u>Analyse</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.40	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.020	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.45	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: SW Peter Lake **Lab ID:** 2406633-21
Matrix: ENVIRO WATER **Received:** 07/01/2024 13:30
Collected: 07/01/2024 10:25

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.65	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.013	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.87	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: South Dan Lake **Lab ID:** 2406633-22
Matrix: ENVIRO WATER **Received:** 07/01/2024 13:30
Collected: 07/01/2024 10:35

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.91	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.247	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	2.70	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: South Plummers Lake **Lab ID:** 2406633-23
Matrix: ENVIRO WATER **Received:** 07/01/2024 13:30
Collected: 07/01/2024 10:42

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.72	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	1.10	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: West Tamarack Lake **Lab ID:** 2406633-24
Matrix: ENVIRO WATER **Received:** 07/01/2024 13:30
Collected: 07/01/2024 10:49

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.44	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.006	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.47	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

Client Sample ID: NE Bass Lake **Lab ID:** 2406633-25
Matrix: ENVIRO WATER **Collected:** 07/01/2024 10:57 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	1.26	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.065	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	7.30	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: North Double Lake **Lab ID:** 2406633-26
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:07 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.63	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.84	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: South Double Lake **Lab ID:** 2406633-27
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:17 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.62	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.010	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.72	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: SE Double Lake **Lab ID:** 2406633-28
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:20 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.67	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.016	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.73	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900

Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
Many Lakes Vacation Village HOA
P.O. Box 2032
Bigfork, MT 59911

PWS ID:
Project: Lake Sampling

Client Sample ID: SW Double Lake **Lab ID:** 2406633-29
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:28 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.38	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.008	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.53	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: NE Vickie Lake **Lab ID:** 2406633-30
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:35 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.42	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.78	NTU	0.05		E180.1		07/01/2024 15:44	BLW

Client Sample ID: West Vickie Lake **Lab ID:** 2406633-31
Matrix: ENVIRO WATER **Collected:** 07/01/2024 11:44 **Received:** 07/01/2024 13:30

<u>Analyses</u>	<u>Result</u>	<u>Units</u>	<u>RL</u>	<u>MCL</u>	<u>Method</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>
Nitrogen, Total Persulfate	0.44	mg/L	0.1		SM4500NOrg		07/02/2024 17:34	NB
Phosphorus, Total low level	0.011	mg/L	0.001		E365.1		07/11/2024 16:41	NB
Turbidity	0.80	NTU	0.05		E180.1		07/01/2024 15:44	BLW



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

6633 pg. 1

BENCH SHEET

SOURCE: MANY LAKES VACATION LAB #: _____

SAMPLE DATE / TIME: 7-1-24 VILLAGE DATE / TIME RECEIVED: 13:30

Environmental Water

(MAIL ALL) + 10 Hours @ 50 / 1/2 Hr.
 + 40 MILES @ 75 / MILE
 -7:30 -12:30

Lab Number	-1	-2	-3	-4	-5
Sample Location	NW PLUMMERS LAKE	SW KATHY	NE KATHY	WEST AMY	WEST SHORE AMY
Sample Date / Time	8:03	8:12	8:21	8:25	8:32
NITROGEN, TOTAL PERSULFATE					
PHOSPHORUS, TOTAL LL					
TURBIDITY					

Lab Number	-6	-7	-8	-9	-10
Sample Location	SW CREE LAKE	WEST JOHN	EAST JOHN	NE SWIMMING	SOUTH SWIMMING
Sample Date / Time	8:38	8:44	8:49	8:57	8:57
NITROGEN, TOTAL PERSULFATE					
PHOSPHORUS, TOTAL LL					
TURBIDITY					



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

6633 pg.2

BENCH SHEET

SOURCE: MANY LAKES VACATION VILLAGE LAB #: _____
 SAMPLE DATE / TIME: _____ DATE / TIME RECEIVED: _____

Environmental Water

(MAIL ALL) + _____ Hours \$ ____ / 1/2 Hr.
 + _____ MILES @ ____ / MILE

Lab Number	-11	-12	-13	-14	-15
Sample Location	WEST GILBERT LAKE	JAKE	KID LAKE NORTH END	SOUTH HARBIN	EAST CREEK
Sample Date / Time	9:06	9:08	9:20	9:29	9:35
NITROGEN, TOTAL PERSULFATE					
PHOSPHORUS, TOTAL LL					
TURBIDITY					

Lab Number	-16	-17	-18	-19	-20
Sample Location	EAST ANN LAKE	EAST SHORE PETER	SW DOUGLAS	NE DOUGLAS	TAMARA CK NE
Sample Date / Time	9:48	9:57	10:05	10:13	10:19
NITROGEN, TOTAL PERSULFATE					
PHOSPHORUS, TOTAL LL					
TURBIDITY					



ANALYTICAL REPORT

Montana Environmental Laboratory LLC
 1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900
 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Randy Sundberg
 Many Lakes Vacation Village HOA
 P.O. Box 2032
 Bigfork, MT 59911

PWS ID:
 Project: Lake Sampling

6633 pg.3

BENCH SHEET

SOURCE: MANY LAKES VACATION VILLAGE LAB #: _____
 SAMPLE DATE / TIME: _____ DATE / TIME RECEIVED: _____

Environmental Water

(MAIL ALL) + _____ Hours & _____ / 1/2 Hr.
 + _____ MILES @ _____ / MILE

Lab Number	-21	-22	-23	-24	-25
Sample Location	SW PETER LAKE	SOUTH DAN	SOUTH PLUMMERS	WEST TAMARACK	NE BASS
Sample Date / Time	10:25	10:35	10:42	10:49	10:57
NITROGEN, TOTAL PERSULFATE					
PHOSPHORUS, TOTAL LL					
TURBIDITY					

Lab Number	-26	-27	-28	-29	-30	-31
Sample Location	NORTH DOUBLE LAKE	SOUTH DOUBLE	SE DOUBLE	SW DOUBLE	NE VICKIE	WEST VICKIE
Sample Date / Time	11:07	11:17	11:20	11:28	11:35	11:44
NITROGEN, TOTAL PERSULFATE						
PHOSPHORUS, TOTAL LL						
TURBIDITY						